

---

# RESOURCE CONSENT CRC122900

*Pursuant to Section 104 of the Resource Management Act 1991*

## The Canterbury Regional Council (known as Environment Canterbury)

---

|                             |                                                                                                                        |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------|
| GRANTS TO:                  | Waimakariri Irrigation Limited                                                                                         |
| A DISCHARGE PERMIT (S15):   | To discharge stormwater to land during the construction of storage ponds and to discharge post-development stormwater. |
| COMMENCEMENT DATE:          | 28 Aug 2020                                                                                                            |
| DATE CONSENT NUMBER ISSUED: | 28 Aug 2020                                                                                                            |
| EXPIRY DATE:                | 28 Aug 2055                                                                                                            |
| LOCATION:                   | Cnr Wrights Road & Dixon Road, BURNT HILL                                                                              |

---

### **SUBJECT TO THE FOLLOWING CONDITIONS:**

#### **Limits**

- 1 The discharge shall be only:
  - a. sediment-laden stormwater during site construction; and
  - b. post development storm water;associated with the construction and operation of the Waimakariri Irrigation Storage Ponds.
- 2 The discharges described in condition 1 shall only be from the site located at land parcel Lot 1 DP 27020, located on the corner of Wrights Road and Dixons Road, Burnt Hill, at or about map reference Topo BW22:3480-9720, as shown on plan labelled as the "Applicant's Site" on **Plan CRC122900A**, which forms part of this consent.
- 3 The Consent Holder shall be responsible for all the contracted operations relating to the exercise of this consent and shall ensure that all personnel working on the site are aware of the consent conditions, have access to the contents of this consent document and shall ensure compliance with consent conditions.
- 4 Prior to commencement of works the Consent Holder or its agent shall arrange and conduct a pre-construction site meeting between the Canterbury Regional Council and all relevant parties, including the primary contractor. At a minimum, the following shall be covered at the meeting:
  - a. scheduling and staging of the works;
  - b. responsibilities of all relevant parties;
  - c. contact details for all relevant parties;

- d. expectations regarding communication between all relevant parties;
  - e. procedures for implementing any amendments;
  - f. site inspection; and
  - g. confirmation that all relevant parties have copies of the contents of this consent document and all associated erosion and sediment control plans and methodology.
- 5 During construction, all practicable measures shall be undertaken to minimise discharges of sediment-laden runoff, off-site or into surface water
- 6 The discharge of construction site stormwater shall only take place during the site construction period at the above mentioned site.
- 7 With the exception of the western boundary, no disturbance, earthworks, vegetation removal or other activity capable of altering runoff shall occur within:
  - a. 6 metres of the northern and eastern site boundaries; and
  - b. 8 metres of the southern boundary.
- 8 The Consent Holder shall ensure stormwater generated on or over any re-fuelling areas and/or vehicle repair areas is managed such that stormwater entrained with oil/fuels/hazardous substances from these areas is not discharged to groundwater or surface waters without treatment. All exposed surfaces shall be stabilised once works are complete or if they are not to be worked for a period of 14 days or more.
- 9 Erosion and sediment control measures shall be installed before any excavation occurs on-site.
- 10 The Consent Holder shall prepare an Erosion and Sediment Control Plan for the construction in general accordance with Environment Canterbury's "*Erosion and Sediment Control Toolbox for the Canterbury Region*" which can be accessed under <http://esc.canterbury.co.nz/>. The Plan shall be prepared by a suitably qualified person. This plan shall be provided to the Manager, RMA Monitoring and Compliance, Canterbury Regional Council, no later than one month prior to the start of construction. The Erosion and Sediment Control Plan shall include but not be limited to:
  - a. a location map including:
    - i. construction site layout;
    - ii. soil type within any construction stage;
  - b. detailed drawings showing the type and location of sediment control measures, on site catchment boundaries and off-site sources of runoff;
  - c. specifications and localities of designated sediment control practices with supporting calculations;
  - d. a programme of works, which includes but is not limited to, a proposed timeframe for the works;
  - e. criteria for stabilising exposed surfaces; and
  - f. siting of activities which have the potential to introduce sediment to sensitive area.

- 11 The Consent Holder shall inform the Manager, RMA Monitoring and Compliance Canterbury Regional Council in writing, at least 30 days prior to the commencement of bulk earthworks for the site.

### **Certification**

- 12 At least one month prior to bulk earthworks commencing for the site, the Consent Holder shall provide to the Manager, RMA Monitoring and Compliance Canterbury Regional Council a certificate signed by an appropriately qualified and experienced engineer to certify that the appropriate erosion and sediment control measures have been constructed in accordance with the Erosion and Sediment Control Plan and conditions of this consent.
- 13 The Erosion and Sediment Control Plan may be amended at any time during the site construction. Any amendments shall be:
- a. only for the purpose of improving the efficiency of the erosion and sediment control measures; and
  - b. consistent with the conditions of this consent; and
  - c. provided to the Manager, prior to any amendment being implemented.

### **Spill management and response plan**

- 14 The Consent Holder shall take all practicable measures to avoid spills or any other contaminant within the site.
- 15 In the event of a spill of fuel or any other contaminant, the Consent Holder shall clean up the spill as soon as practicable, inspect and clean the stormwater system and take measures to prevent a recurrence.
- 16 Within 24 hours of a spill event greater than 10 litres, the Consent Holder shall inform the Manager, RMA Monitoring and Compliance Canterbury Regional Council and provide the following information:
- a. the date, time, location and estimated volume of the spill;
  - b. the cause of the spill;
  - c. the type of contaminant(s) spilled;
  - d. clean up procedures undertaken;
  - e. details of the steps taken to control and remediate the effects of the spill on the receiving environment;
  - f. an assessment of any potential effects of the spill; and
  - g. measures to be undertaken to prevent a recurrence.

### **Decommissioning**

- 17 Once construction of the site has ceased, decommissioning of sediment and erosion measures shall be taken.
- 18 Erosion and sediment control measures shall not be decommissioned until the site is stabilised and the stormwater system for the developed site is functioning.

**Post Construction**

- 19 The vegetation on the embankment areas or the strips adjacent to the races shall be maintained in a healthy and uniform state, with the exception of seasonal browning off. Maintenance shall include, but not be limited to:
- a. removal of weeds; and
  - b. re-planting of vegetation where erosion or die-off has resulted in bare or patchy soil cover.

**Review**

- 20 The Canterbury Regional Council may, once per year, on any of the last five working days of May or November, serve notice of its intention to review the conditions of this consent for the purposes of dealing with any adverse effect on the environment which may arise from the exercise of the consent and which it is appropriate to deal with at a later stage.

**Administrative charges**

- 21 The Consent Holder shall pay to the Canterbury Regional Council any administrative charges fixed in accordance with s 36 RMA. The administrative charges shall be paid to the Canterbury Regional Council for the carrying out of its functions in relation to the administration, monitoring and supervision of this consent and for carrying out its functions under s 35 RMA.

**Other charges or costs**


- 22 The Consent Holder shall pay all costs relating to peer reviews or engagement of others to undertake any actions or services required in terms of these conditions.

**Lapse Date**

- 23 The lapsing date for the purposes of s125 shall be five years from the commencement of this consent.

**Issued at Christchurch on 12 October 2020**

Canterbury Regional Council



## Exercising of Resource Consent CRC122900

**It is important that you notify Environment Canterbury when you first start using your consent.**

---

|                                  |                                                                                                                        |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>GRANTED TO:</b>               | Waimakariri Irrigation Limited                                                                                         |
| <b>A DISCHARGE PERMIT (S15):</b> | To discharge stormwater to land during the construction of storage ponds and to discharge post-development stormwater. |
| <b>LOCATION:</b>                 | Cnr Wrights Road & Dixon Road, BURNT HILL                                                                              |

---

Even if the consent is replacing a previous consent for the same activity, you need to complete and return this page.

A consent can only be made active after the activity has commenced and all pre-requisite conditions have been fulfilled e.g. installation of water meter and/or fish screen. If you require further advice, please contact our Customer Services section on 0800 324 636 or by email at [ecinfo@ecan.govt.nz](mailto:ecinfo@ecan.govt.nz).

Providing this information will:

- Validate your consent through to its expiry date
- Minimise compliance monitoring charges
- Help provide an accurate picture of the state of the environment.

**If consent CRC122900 is not used before 28 August 2025 this consent will lapse and no longer be valid.**

### Declaration:

I have started using this resource consent.

**Action taken** (e.g. pasture irrigated, discharge from septic tank/boiler/spray booth etc):

**Date I started using this resource consent** (Note: this date cannot be in the future): \_\_\_\_\_

**Signed:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Full name of person signing** (please print): \_\_\_\_\_

**Please return to:**

**Business Support  
Environment Canterbury  
PO Box 345  
Christchurch 8140**

**Fax: (03) 365 3194  
Email: [ecinfo@ecan.govt.nz](mailto:ecinfo@ecan.govt.nz)**

**File: CO6C/33499  
Customer No: EC111432**